L Number	Hits	Search Text	DB	Time stamp
-	24734	(manag$5 search$3 creat$3) near3 (list)	USPAT; US-PGPUB	2004/07/16 19:50
-	2246	((manag$5 search$3 creat$3) near3 (list)) and (customer with (id identif$7 (account near2 number))) and list	USPAT; US-PGPUB	2004/07/16 19:51
-	1306	((database with manag$5) or DBMS) and (((manag$5 search$3 creat$3) near3 (list)) and (customer with (id identif$7 (account near2 number))) and list)	USPAT; US-PGPUB	2004/07/16 19:51
-	486	(((database with manag$5) or DBMS) and (((manag$5 search$3 creat$3) near3 (list)) and (customer with (id identif$7 (account near2 number))) and list)) and ((multiple various plural$3) with object)	USPAT; US-PGPUB	2004/07/16 19:57
-	1	"20020120636"	USPAT; US-PGPUB	2004/07/16 19:53
-	1	"20020120636" and (retrieval near2 condition)	USPAT; US-PGPUB	2004/07/16 19:53
-	1	"20020120636" and (retrieval with condition)	USPAT; US-PGPUB	2004/07/16 19:53
-	1	"20020120636" and (retrieval same condition)	USPAT; US-PGPUB	2004/07/16 19:54
-	1	"20020120636" and (condition)	USPAT; US-PGPUB	2004/07/16 19:54
-	24	((((database with manag$5) or DBMS) and (((manag$5 search$3 creat$3) near3 (list)) and (customer with (id identif$7 (account near2 number))) and list)) and ((multiple various plural$3) with object)) and ((search with result) with stor$3)	USPAT; US-PGPUB	2004/07/16 19:58
-	2	(((((database with manag$5) or DBMS) and (((manag$5 search$3 creat$3) near3 (list)) and (customer with (id identif$7 (account near2 number))) and list)) and ((multiple various plural$3) with object)) and ((search with result) with stor$3)) and (temporar$3 with stor$3)	USPAT; US-PGPUB	2004/07/16 19:58
-	1100	view$3 near2 query	USPAT; US-PGPUB	2004/07/19 14:49
-	332	(view$3 near2 query) and (view$3 near2 result)	USPAT; US-PGPUB	2004/07/19 14:50
-	256	((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)	USPAT; US-PGPUB	2004/07/19 14:50
-	56	(((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and id and customer)	USPAT; US-PGPUB	2004/07/19 14:53
-	37	((((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and id and customer)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 14:54
-	40	((((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 17:20
-	32	(((((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and ((collect$3 group$3 stor$3) with results)	USPAT; US-PGPUB	2004/07/19 17:21
-	3	((((((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and (((collect$3 group$3) with results) same target)	USPAT; US-PGPUB	2004/07/19 17:21

C:\APPS\EAST\Workspaces\10082624.wsp

--	26	`(((((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and ((collect$3 group$3) with results)`	USPAT; US-PGPUB	2004/07/19 18:04
--	8	`((((((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and ((collect$3 group$3) with results)) and (results same (correspond$3 with object))`	USPAT; US-PGPUB	2004/07/19 17:27
—	11	`((((((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and ((collect$3 group$3) with results)) and (results same (correspond$3))`	USPAT; US-PGPUB	2004/07/19 17:27
--	40991	`(database with manag$5) or DBMS`	USPAT; US-PGPUB	2004/07/19 18:01
—	61	`(((view$3 near2 query) and (view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)`	USPAT; US-PGPUB	2004/07/19 18:02
—	259	`(((view$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)`	USPAT; US-PGPUB	2004/07/19 18:02
—	392	`(view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer`	USPAT; US-PGPUB	2004/07/19 18:03
—	309	`((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)`	USPAT; US-PGPUB	2004/07/19 18:04
—	194	`(((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)`	USPAT; US-PGPUB	2004/07/19 19:21
—	136	`((((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)) and ((multiple several different many plurality) near3 object)`	USPAT; US-PGPUB	2004/07/19 18:05
—	0	`(((((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)) and ((multiple several different many plurality) near3 object)) and (search with (correspond$3 with object))`	USPAT; US-PGPUB	2004/07/19 18:06
—	25	`(((((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)) and ((multiple several different many plurality) near3 object)) and (search with object)`	USPAT; US-PGPUB	2004/07/19 18:13
—	121	`(((((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)) and ((multiple several different many plurality) near3 object)) and ((customer inventory business) with table)`	USPAT; US-PGPUB	2004/07/19 18:13

–	108	(((((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)) and ((multiple several different many plurality) near3 object)) and ((customer inventory) with table)	USPAT; US-PGPUB	2004/07/19 18:17
–	3	(((((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)) and ((multiple several different many plurality) near3 object)) and (customer with table)	USPAT; US-PGPUB	2004/07/19 18:14
–	9	((((((((database with manag$5) or DBMS) and ((view$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect$3 group$3) with results)) and ((multiple several different many plurality) near3 object)) and ((customer inventory) with table)) and object) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 18:52
–	2785	(search$3 quer$4) with (relational adj database)	USPAT; US-PGPUB	2004/07/19 19:19
–	804	((search$3 quer$4) with (relational adj database)) and (object with table)	USPAT; US-PGPUB	2004/07/19 19:19
–	378	(((search$3 quer$4) with (relational adj database)) and (object with table)) and (query with (input$4 enter$3 submit$4))	USPAT; US-PGPUB	2004/07/19 19:20
–	311	((((search$3 quer$4) with (relational adj database)) and (object with table)) and (query with (input$4 enter$3 submit$4))) and (result with (object table))	USPAT; US-PGPUB	2004/07/19 18:55
–	200	((((((search$3 quer$4) with (relational adj database)) and (object with table)) and (query with (input$4 enter$3 submit$4))) and (result with (object table))) and ((result near2 set) or ((collect$3 group$3)with result))	USPAT; US-PGPUB	2004/07/19 18:56
–	68	((((((search$3 quer$4) with (relational adj database)) and (object with table)) and (query with (input$4 enter$3 submit$4))) and (result with (object table))) and ((result near2 set) or ((collect$3 group$3)with result))) and (customer with (id number order account))	USPAT; US-PGPUB	2004/07/19 18:56
–	26	((((((((search$3 quer$4) with (relational adj database)) and (object with table)) and (query with (input$4 enter$3 submit$4))) and (result with (object table))) and ((result near2 set) or ((collect$3 group$3)with result))) and (customer with (id number order account))) and (customer with list)	USPAT; US-PGPUB	2004/07/19 18:57
–	12	(((((((((search$3 quer$4) with (relational adj database)) and (object with table)) and (query with (input$4 enter$3 submit$4))) and (result with (object table))) and ((result near2 set) or ((collect$3 group$3)with result))) and (customer with (id number order account))) and (customer with list)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 20:08
–	11739	relational adj database	USPAT; US-PGPUB	2004/07/19 19:19
–	139	(relational adj database) and (search with (customer and table))	USPAT; US-PGPUB	2004/07/19 19:19
–	1490	(relational adj database) and (search with table)	USPAT; US-PGPUB	2004/07/19 19:19

–	820	((relational adj database) and (search with table)) and ((search query) with (input$4 enter$3 submit$4))	USPAT; US-PGPUB	2004/07/19 19:20
–	525	((relational adj database) and (search with table)) and ((query) with (input$4 enter$3 submit$4))	USPAT; US-PGPUB	2004/07/19 19:20
–	406	(((relational adj database) and (search with table)) and ((query) with (input$4 enter$3 submit$4))) and ((collect$3 group$3 stor$3 set) with results)	USPAT; US-PGPUB	2004/07/19 19:21
–	48	((((relational adj database) and (search with table)) and ((query) with (input$4 enter$3 submit$4))) and ((collect$3 group$3 stor$3 set) with results)) and (customer near3 table)	USPAT; US-PGPUB	2004/07/19 20:05
–	45234	(relational adj database) or ((database with manag$5) or DBMS)	USPAT; US-PGPUB	2004/07/19 20:05
–	2088	((relational adj database) or ((database with manag$5) or DBMS)) and ((customer business company inventory) near3 table)	USPAT; US-PGPUB	2004/07/19 20:06
–	944	(((relational adj database) or ((database with manag$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search$3 query$3) with table)	USPAT; US-PGPUB	2004/07/19 20:06
–	433	((((relational adj database) or ((database with manag$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search$3 query$3) with table)) and (table with object)	USPAT; US-PGPUB	2004/07/19 20:07
–	162	(((((relational adj database) or ((database with manag$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search$3 query$3) with table)) and (table with object)) and ((collection group$3)with results)	USPAT; US-PGPUB	2004/07/19 20:07
–	107	((((((relational adj database) or ((database with manag$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search$3 query$3) with table)) and (table with object)) and ((collection group$3)with results)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 20:08
–	2	("5419942" | "5600831").PN.	USPAT	2004/07/20 14:13
–	45763	(database with manag$5) or DBMS or (relational with database)	USPAT; US-PGPUB	2004/07/20 15:16
–	2891	((database with manag$5) or DBMS or (relational with database)) and (manag$5) near3 (list)	USPAT; US-PGPUB	2004/07/20 15:17
–	271	(((database with manag$5) or DBMS or (relational with database)) and (manag$5) near3 (list)) and (customer near3 (table list))	USPAT; US-PGPUB	2004/07/20 15:17
–	76	((((database with manag$5) or DBMS or (relational with database)) and (manag$5) near3 (list)) and (customer near3 (table list))) and (result near3 (set list))	USPAT; US-PGPUB	2004/07/20 15:20
–	37	(((((database with manag$5) or DBMS or (relational with database)) and (manag$5) near3 (list)) and (customer near3 (table list))) and (result near3 (set list))) and ((query$3 search$3)with object)	USPAT; US-PGPUB	2004/07/20 15:20
–	38	((((database with manag$5) or DBMS or (relational with database)) and (manag$5) near3 (list)) and (customer near3 (table list))) and (result near3 set)	USPAT; US-PGPUB	2004/07/20 15:20
–	22	(((((database with manag$5) or DBMS or (relational with database)) and (manag$5) near3 (list)) and (customer near3 (table list))) and (result near3 set)) and ((query$3 search$3)with object)	USPAT; US-PGPUB	2004/07/20 15:20

C:\APPS\EAST\Workspaces\10082624.wsp

–	1	(US-6615258-$).did.		USPAT	2004/07/20 16:45
–	0	((US-6615258-$).did.) and ((input$3 enter$3) with query)		USPAT	2004/07/20 16:45
–	1	((US-6615258-$).did.) and (object with query)		USPAT	2004/07/20 16:46
–	1	((US-6615258-$).did.) and (object with table)		USPAT	2004/07/20 16:47
–	1	((US-6615258-$).did.) and (customer with table)		USPAT	2004/07/20 16:48
–	1	((US-6615258-$).did.) and (database with customer)		USPAT	2004/07/20 16:48
–	1	(((US-6615258-$).did.) and (customer with table)) and (((US-6615258-$).did.) and (database with customer))		USPAT	2004/07/20 16:48
–	1	((((US-6615258-$).did.) and (customer with table)) and (((US-6615258-$).did.) and (database with customer))) and ((query near3 result) with customer)		USPAT	2004/07/20 16:51
–	1	(((((US-6615258-$).did.) and (customer with table)) and (((US-6615258-$).did.) and (database with customer))) and ((query near3 result) with customer)) and (result with (existing stor$3 previous collection))		USPAT	2004/07/20 16:53
–	0	((((((US-6615258-$).did.) and (customer with table)) and (((US-6615258-$).did.) and (database with customer))) and ((query near3 result) with customer)) and (result with (existing stor$3 previous collection))) and (target with retriev$3)		USPAT; US-PGPUB	2004/07/20 16:53
–	1	((((((US-6615258-$).did.) and (customer with table)) and (((US-6615258-$).did.) and (database with customer))) and ((query near3 result) with customer)) and (result with (existing stor$3 previous collection))) and (target with result)		USPAT; US-PGPUB	2004/07/20 16:53
–	11	(US-6581039-$ or US-6571235-$ or US-6233586-$ or US-6615258-$ or US-5812840-$ or US-5737591-$ or US-5555403-$ or US-6078926-$ or US-5694608-$).did. or (US-20020120636-$ or US-20040139070-$).did.		USPAT; US-PGPUB	2004/07/21 19:59
–	1	((US-6581039-$ or US-6571235-$ or US-6233586-$ or US-6615258-$ or US-5812840-$ or US-5737591-$ or US-5555403-$ or US-6078926-$ or US-5694608-$).did. or (US-20020120636-$ or US-20040139070-$).did.) and ((spread?sheet spreadsheet Excel) with customer)		USPAT; US-PGPUB	2004/07/21 20:00
–	2	((US-6581039-$ or US-6571235-$ or US-6233586-$ or US-6615258-$ or US-5812840-$ or US-5737591-$ or US-5555403-$ or US-6078926-$ or US-5694608-$).did. or (US-20020120636-$ or US-20040139070-$).did.) and ((spread?sheet spreadsheet Excel) with list)		USPAT; US-PGPUB	2004/07/21 20:00
–	7	((US-6581039-$ or US-6571235-$ or US-6233586-$ or US-6615258-$ or US-5812840-$ or US-5737591-$ or US-5555403-$ or US-6078926-$ or US-5694608-$).did. or (US-20020120636-$ or US-20040139070-$).did.) and ((spread?sheet spreadsheet Excel))		USPAT; US-PGPUB	2004/07/21 20:48

| | | 9 | ((US-6581039-$ or US-6571235-$ or US-6233586-$ or US-6615258-$ or US-5812840-$ or US-5737591-$ or US-5555403-$ or US-6078926-$ or US-5694608-$).did. or (US-20020120636-$ or US-20040139070-$).did.) and (logical) | USPAT; US-PGPUB | 2004/07/21 20:51 |
| - | | | | | |